




高精達
SUPER TOOLING

深圳市高精达精密工具有限公司

电话: (0755) 8226 7222 传真: (0755) 8226 7333

地址: 深圳市福田区八卦岭工业区 423 栋 5 楼 511-513 室

抛光布轮



适用转速：1400 rpm

(mm)

样 式	材 质	型 号	Φ	B	F	LZ(层数)	牌 价
	百褶纱布轮	165 100 Pli	100	45	18	—	
	微褶纱布轮	166 100 F	100	43	16	—	
	微褶绒布轮	168 100 F	100	43	16	—	
		168 80 F	80	43	16	—	
	绒布轮	161 100/20	100	40	17	20	
	羊毛布轮	162 100/6	100	40	18	6	

抛光布轮

适用转速：1400 rpm

(mm)

样 式	材 质	型 号	Φ	B	F	LZ(层数)	牌 价
	高级棉布轮	163 100/40	100	40	16	40	
	纱布轮	164 100/20	100	40	15	20	
		164 100/40	100	40	18	40	
		164 100/55	100	40	20	55	
	鹿皮轮	500 100/7	100	40	16	7	
		500 80/7	80	40	19	7	
	鹿皮条轮	500 90 LE	90	40	18	—	
	超细纤维皮轮	520 100/7	100	40	15	7	
	超细纤维皮条轮	520 90 LE	90	40	18	—	



德国制

抛光布轮

适用转速：1400 rpm

(mm)

样 式	材 质	型 号	Φ	B	F	LZ(层数)	牌 价
	超细纤维布轮	862 100/15	100	40	15	15	
	软质硅涂层棉布轮	869 100/14	100	40	10	14	
		869 100/20	100	40	13	20	
		869 100/28	100	40	20	28	
	硅涂层棉布轮	870 100/14	100	40	12	14	
		870 100/22	100	40	20	22	
	高密度纯棉布轮	873 125x24 K	125	51	24	—	
		873 125x30 K	125	51	30	—	
	高级纯棉布轮	163 125x24 K	125	51	24	—	
		163 125x30 K	125	51	30	—	
	软棉织布轮	161 125x24 K	125	51	24	—	
		161 125x30 K	125	51	30	—	
	羊毛毡轮	162 125x24 K	125	51	24	—	
		162 125x30 K	125	51	30	—	



德国制


适用转速：1400 rpm

抛光布轮

(mm)

样 式	材 质	型 号	Φ	B	F	LZ(层数)	牌 价
	超细纤维皮轮	520 125x24 K	125	51	24	—	
		520 125x30 K	125	51	30	—	
	粗棉布轮	160 125x24 K	125	51	24	—	
		160 125x30 K	125	51	30	—	
	软质硅涂层 棉布轮	869 125x24 K	125	51	24	—	
		869 125x30 K	125	51	30	—	
	硅涂层棉布轮	870 125x24 K	125	51	24	—	
		870 125x30 K	125	51	30	—	
	多层布	169 125/90 K	125	51	19	90	
		169 150/90 K	150	51	19	90	
	微褶纱布轮	167 100/10 K	100	42	10	10	
		167 100/20 K	100	42	22	20	
		167 100/30 K	100	51	33	30	
	超细纤维布轮	862 125x20 K	125	50	20	50	

抛光布轮



H : 没有缝隙

HG : 有缝隙



LZ : 层数

适用转速 : 2" / 3" / 4" = 2800 rpm, 5" / 6" = 1400 rpm


(mm)

样 式	材 质	型 号	Φ	F	LZ	牌 价
	粗棉布轮	661 4" x 50 H	100	13	50	
		661 4" x 50 HG	100	13	50	
		661 6" x 50 H	150	13	50	
		661 6" x 50 HG	150	13	50	
	黄棉布轮	867 2" x 50 HG	50	15	50	
		867 3" x 50 HG	75	15	50	
		867 4" x 50 H	100	15	50	
		867 4" x 50 HG	100	15	50	
		867 5" x 50 HG	125	15	50	
		867 6" x 50 H	150	15	50	
		867 6" x 50 HG	150	15	50	
		867 6" x 60 HG	150	15	60	
	细棉布轮	868 4" x 50 H	100	15	50	
		868 4" x 50 HG	100	15	50	
		868 5" x 50 HG	125	15	50	
		868 6" x 50 H	150	15	50	
		868 6" x 75 H	150	15	75	
		868 6" x 50 HG	150	15	50	
		868 6" x 60 HG	150	15	60	

抛光毛轮



适用转速：10000 rpm

样 式	材 质	Φ	型 号	牌 价
	白色山羊毛	19 mm	100 19 HP.B	
		22 mm	100 22 HP.B	
	灰色山羊毛	19 mm	102 19 HP.B	
		22 mm	102 22 HP.B	
	灰色马毛	19 mm	112 19 HP.B	
		22 mm	112 22 HP.B	
	白色猪鬃毛	19 mm	120 19 HP.B	
		22 mm	120 22 HP.B	
	黑色猪鬃毛	19 mm	121 19 HP.B	
		22 mm	121 22 HP.B	
	白色山羊毛	19 mm	100 19 RED	
		22 mm	100 22 RED	
	灰色山羊毛	19 mm	102 19 RED	
		22 mm	102 22 RED	
	灰色马毛	19 mm	112 19 RED	
		22 mm	112 22 RED	
	白色猪鬃毛	19 mm	120 19 RED	
		22 mm	120 22 RED	
	黑色猪鬃毛	19 mm	121 19 RED	
		22 mm	121 22 RED	

金属研磨轮

~~~~~ : 波型丝材质


———— : 直型丝材质

(mm)



| 样 式                                                                                                                                      | 丝线径  | 型 号         | 牌 价 |
|------------------------------------------------------------------------------------------------------------------------------------------|------|-------------|-----|
| <b>Φ 19 mm</b><br><br>材质：钢丝 ~~~~~<br>适用转速：12000 rpm     | 0.08 | 192 19 HP.B |     |
|                                                                                                                                          | 0.10 | 193 19 HP.B |     |
|                                                                                                                                          | 0.12 | 194 19 HP.B |     |
| <b>Φ 22 mm</b><br><br>材质：钢丝 ~~~~~<br>适用转速：10000 rpm     | 0.08 | 192 22 HP.B |     |
|                                                                                                                                          | 0.10 | 193 22 HP.B |     |
|                                                                                                                                          | 0.12 | 194 22 HP.B |     |
| <b>Φ 19 mm</b><br><br>材质：不锈钢丝 ~~~~~<br>适用转速：12000 rpm | 0.06 | 181 19 HP.B |     |
|                                                                                                                                          | 0.08 | 182 19 HP.B |     |
|                                                                                                                                          | 0.10 | 183 19 HP.B |     |
|                                                                                                                                          | 0.12 | 184 19 HP.B |     |
| <b>Φ 22 mm</b><br><br>材质：不锈钢丝 ~~~~~<br>适用转速：10000 rpm | 0.06 | 181 22 HP.B |     |
|                                                                                                                                          | 0.08 | 182 22 HP.B |     |
|                                                                                                                                          | 0.10 | 183 22 HP.B |     |
|                                                                                                                                          | 0.12 | 184 22 HP.B |     |
|                                                                                                                                          |      |             |     |
| <b>Φ 22 mm</b><br><br>材质：不锈钢丝 ———<br>适用转速：10000 rpm   | 0.08 | 682 22 HP.B |     |

| 样 式                                                                                                                                  | 丝线径  | 型 号         | 牌 价 |
|--------------------------------------------------------------------------------------------------------------------------------------|------|-------------|-----|
| <b>Φ 19 mm</b><br><br>材质：铜丝 ~~~~~<br>适用转速：12000 rpm | 0.06 | 141 19 HP.B |     |
|                                                                                                                                      | 0.08 | 142 19 HP.B |     |
|                                                                                                                                      | 0.10 | 143 19 HP.B |     |
|                                                                                                                                      | 0.12 | 144 19 HP.B |     |
| <b>Φ 22 mm</b><br><br>材质：铜丝 ~~~~~<br>适用转速：10000 rpm | 0.06 | 141 22 HP.B |     |
|                                                                                                                                      | 0.08 | 142 22 HP.B |     |
|                                                                                                                                      | 0.10 | 143 22 HP.B |     |
|                                                                                                                                      | 0.12 | 144 22 HP.B |     |
| <br>材质：铜丝 ———<br>适用转速：10000 rpm                   | 0.08 | 642 19 HP.B |     |
|                                                                                                                                      | 0.08 | 642 22 HP.B |     |
| <b>Φ 19 mm</b><br><br>材质：尼龙丝 ———<br>适用转速：8000 rpm | 0.15 | 282 19 HP.B |     |
|                                                                                                                                      | 0.20 | 283 19 HP.B |     |
|                                                                                                                                      | 0.25 | 284 19 HP.B |     |
|                                                                                                                                      | 0.30 | 286 19 HP.B |     |
|                                                                                                                                      | 0.40 | 288 19 HP.B |     |
|                                                                                                                                      |      |             |     |
| <b>Φ 22 mm</b><br><br>材质：尼龙丝 ———<br>适用转速：5000 rpm | 0.15 | 282 22 HP.B |     |
|                                                                                                                                      | 0.20 | 283 22 HP.B |     |
|                                                                                                                                      | 0.25 | 284 22 HP.B |     |
|                                                                                                                                      | 0.30 | 286 22 HP.B |     |
|                                                                                                                                      | 0.40 | 288 22 HP.B |     |


# 百洁布研磨轮




适用转速：10000 rpm

| 样 式                                                                                         | 材 质    | 型 号         | 牌 价 |
|---------------------------------------------------------------------------------------------|--------|-------------|-----|
|  砂数：#80    | 百洁布+磨粒 | 259 25 HP.B |     |
|  砂数：#120   | 百洁布+磨粒 | 258 25 HP.B |     |
|  砂数：#220   | 百洁布+磨粒 | 250 25 HP.B |     |
|  砂数：#280  | 百洁布+磨粒 | 251 25 HP.B |     |
|  砂数：#360 | 百洁布+磨粒 | 252 25 HP.B |     |

适用转速：10000 rpm

| 样 式                                                                                          | 材 质    | 型 号         | 牌 价 |
|----------------------------------------------------------------------------------------------|--------|-------------|-----|
|  砂数：#360   | 百洁布+磨粒 | 255 25 HP.B |     |
|  砂数：#400   | 百洁布+磨粒 | 257 25 HP.B |     |
|  砂数：#600   | 百洁布+磨粒 | 256 25 HP.B |     |
|  砂数：#220  | 百洁布    | 253 25 HP.B |     |
|  砂数：#220 | 百洁布+磨粒 | 254 25 HP.B |     |



适用转速：10000 rpm

( mm )


| 样 式                                                                                         | 材 质    | 型 号                       | 牌 价 |
|---------------------------------------------------------------------------------------------|--------|---------------------------|-----|
|  砂数：#220 | 百洁布+磨粒 | 250 40/3 HP.B<br>( Φ=40 ) |     |
|                                                                                             |        | 250 30/3 HP.B<br>( Φ=30 ) |     |
|  砂数：#280 | 百洁布+磨粒 | 251 40/3 HP.B<br>( Φ=40 ) |     |
|                                                                                             |        | 251 30/3 HP.B<br>( Φ=30 ) |     |
|  砂数：#360 | 百洁布+磨粒 | 451 40/3 HP.B<br>( Φ=40 ) |     |
|                                                                                             |        | 451 30/3 HP.B<br>( Φ=30 ) |     |

适用转速：10000 rpm

( mm )






| 样 式                                                                                          | 材 质    | 型 号                       | 牌 价 |
|----------------------------------------------------------------------------------------------|--------|---------------------------|-----|
|  砂数：#360 | 百洁布+磨粒 | 252 40/3 HP.B<br>( Φ=40 ) |     |
|                                                                                              |        | 252 30/3 HP.B<br>( Φ=30 ) |     |
|  砂数：#360 | 百洁布+磨粒 | 255 40/3 HP.B<br>( Φ=40 ) |     |
|                                                                                              |        | 255 30/3 HP.B<br>( Φ=30 ) |     |

# 抛光布轮



适用转速：10000 rpm

(mm)

| Φ    | 样 式                                                                                 | 材 质         | 型 号         | 牌 价 | 样 式                                                                                  | 材 质           | 型 号          | 牌 价 |
|------|-------------------------------------------------------------------------------------|-------------|-------------|-----|--------------------------------------------------------------------------------------|---------------|--------------|-----|
| Φ=22 |    | 粗棉线         | 150 22 HP.B |     |    | 粗棉线<br>(加厚)   | 151 22 HP.B  |     |
|      |                                                                                     |             |             |     |                                                                                      |               |              |     |
| Φ=22 |    | 细棉线         | 152 22 HP.B |     |    | 细棉线<br>(加厚)   | 153 22 HP.B  |     |
|      |                                                                                     |             |             |     |                                                                                      |               |              |     |
|      |   | 细棉线<br>(加厚) | 154 22 HP.B |     |   | 细棉线<br>(双倍加厚) | 155 22 HP.B  |     |
|      |                                                                                     |             |             |     |                                                                                      |               |              |     |
| Φ=22 |  | 氧化铝<br>镀层布  | 869 22 HP.B |     |  | 厚氧化铝<br>镀层布   | 870 22 HP.B  |     |
|      |                                                                                     |             |             |     |                                                                                      |               |              |     |
| Φ=25 |  | 厚棉布         | 867 25 HP.B |     |  | 缝合厚棉布         | 867 25g HP.B |     |
|      |                                                                                     |             |             |     |                                                                                      |               |              |     |
| Φ=22 |  | 超细纤维布       | 862 22 HP.B |     |                                                                                      |               |              |     |
|      | Φ=22                                                                                | 鹿皮          | 500 22 HP.B |     | Φ=25                                                                                 | 鹿皮            | 500 25 HP.B  |     |
|      |  |             |             |     |  |               |              |     |
| Φ=22 |  | 超细纤维皮       | 520 22 HP.B |     |                                                                                      |               |              |     |
|      |                                                                                     |             |             |     |                                                                                      |               |              |     |
| Φ=22 |  | 绒布          | 161 22 HP.B |     |                                                                                      |               |              |     |
|      |                                                                                     |             |             |     |                                                                                      |               |              |     |
| Φ=22 |  | 羊毛布         | 162 22 HP.B |     | Φ=25                                                                                 | 羊毛布           | 162 25 HP.B  |     |
|      |                                                                                     |             |             |     |                                                                                      |               |              |     |